Site name			Date
Merry Creek at Keady st.			27/10

(6		<del>,</del>	·	,	т			<del></del>
Groups/	•							0103141.0
pages	Names	raw count	1-2	3-5	6-10	11-20	>20	SIGNAL 2
1. Miscella							T.	
12	Phylum Nematomorpha, (gordian worms)		ļ	<b> </b>	<b> </b>	ļ	<b> </b>	5
12	Phylum Nematoda, (roundworms)		<b> </b>	<b>ļ</b>	<b> </b>	<b>ļ</b>	<b> </b>	11
12	Phylum Annelida, class Hirudinea, (leeches)		<u> </u>	ļ	ļ	ļ	<b> </b>	1
13	Phylum Annelida, class Oligochaeta, (worms)	2-1	ſ	ļ	ļ	ļ	<b> </b>	11
13	Phylum Turbellaria,( flatworms)	5 -	ļ				ļ	1
13	Order Araneae ( fishing and wolf spiders)	<b></b>	ļ		ļ		ļ	5
14	Order Acarina, (water mites)	ļ	<b>ļ</b>		ļ	<u> </u>	ļ	5
14	Order Megaloptera, Family Corydalidae (toebiters)							10
14	Order Neuroptera (lacewings)		<b> </b>	ļ	ļ	ļ	ļ	8
o familia	 							
	ater snails and mussels (Mollusca) Family Hyriidae (freshwater mussels)							E
15 16	Family Ancylidae (freshwater limpets)		<b> </b>			<b></b>		5 4
16	Family Sphaeriidae and Family Corbiculidae (basket and pea shells)		<b> </b>	<b> </b>	<del> </del>	<b></b>		4
1			<i>y</i>			<b>}</b>		
17	Family Planorbidae, various genera (flat snails)		<b> </b>	<b> </b>	<b> </b>	<del> </del>	<b> </b>	6
18	Family Hydrobiidae - Potamopyrgus antipodarum (species)	1	<del> </del>	ļ	ļ	<del> </del>	<u> </u>	1
19	Family Lymnaeidae (lim nay ids)	7209	<del></del>	ļ			<b></b>	11
20	Family Physidae, Species Physa acuta	720"	<del></del>	<u> </u>		<b></b>		1
20	Family Planorbidae, various genera (planorbids)		ļ			ļ		2
21	Family Pomatiopsidae, Genus Coxiella					ļ		2
21	Family Hydrobiidae, Genus Beddomeia							8
21	Family Viviparidae, Genus Notopala							7
2 0	(Crusteree)							
3. Crusta 23	ceans (Crustacea) Family Parastacidae (freshwater crayfish or yabbies)							4
24	Family Palaemonidae, Genus Macrobrachium (freshwater prawn)							4
24	Family Atyidae (glass shrimp)							4
25	Family Hymenosomatidae (five cent crab, false spider crab)							3
26	Order Isopoda, Family Phraetoicidae, (phraetoicids, cow shrimp)							4
27	Order Amphipoda (scuds, sideswimmers)		/					3
27	Order Amphipoda (scuds, sideswiritners) Order Isopoda, Family Janiridae (water slaters)	10/						3
28	Order Anostraca (fairy shrimp and introduced sea monkeys)	-, -						1
29	Order Notostraca (shield shrimp, tadpole shrimp)							1
29	Order Conchostraca (clam shrimp)							1
	order Contributados (Contributados)							
4a. Adult E	Beetles (Coleoptera)							
	Family Curculionidae (weevils)							2
32	Family Elmidae (riffle beetles)							7
33	Families Hydraenidae and Hydrochidae (crawling water beetle)							3.5
33	Family Hydrophilidae, Genus Helochares							2
34	Family Gyrinidae (whirligig beetles)							4
	Family Hygrobiidae, Genus Hygrobia (screech beetles)							1
	Family Hydrophilidae (water scavenger beetles)							2
36	Family Dytiscidae, Genus Australphilus							7
36	Family Dytiscidae, Genus Carabhydrus (waisted diving beetle)							7
	Family Dytiscidae, various genera (little diving beetles)		2					1
	Family Dytiscidae, various genera (mixed diving beetles)							1
	Family Dytiscidae, various genera (stealth diving beetles)	2 -						1
	Family Dytiscidae, Genus Lancetes	***************************************						2
	Family Dytiscidae, Genus <i>Eretes</i>							1
	Family Dytiscidae, Genus Rhantus			<u> </u>				1
	Family Dytiscidae, Genus Hyderodes			<u>-</u>	<u> </u>			2
	Family Dytiscidae, Genus Spencerhydrus						1	5
	Family Dytiscidae, Genus Onychohydrus							5
		1						
	·							

	Site name	T	T	T	T	T	Ţ	Date
			<b>†</b>	<u> </u>	<u> </u>	<del>                                     </del>		
			<u> </u>	<u> </u>	<u> </u>	<u> </u>		
Constitution of				····		,		<b>,</b>
Groups/ pages	None		1-2	3-5	640	11-20	>20	SIGNAL 2
	Names	raw count	1-2	3-5	6-10	11-20	720	SIGNAL Z
	Larvae (Coleoptera) Family Psephenidae, Genus Sclerocyphon (water pennies)							
		<b></b>	ļ		<b> </b>		<b> </b> -	6
	Family Scirtidae (marsh beetles) Family Elmidae (riffle beetles)	<b>-</b>	ļ	<b> </b>	<b> </b>	ļ	ļ	7
	Family Ptilodactylidae, Genus, Byrrocryptus (ptilodactylids)	<del> </del>		ļ	<b></b>		<b> </b>	10
	Family Prinductylidae, Genus, Byrrocryptus (piliodactylidas) Family Gyrinidae (whirligig beetles)	<del></del>	<b></b>			<b></b>	<b> </b>	4
			<b> </b>	ļ	ļ	ļ	<del> </del>	2
	Family Hydrophilidae Genus Berosus (water scavenger beetles)	<b>-</b>	<b> </b>	<del> </del>	<del> </del>		<b> </b>	<u> </u>
	Family Hydrophilidae Genus Hydrophilus (Ugly Bob)	<b> </b>		<b> </b>	<b> </b>	ļ		2
	Family Dytiscidae, (taper-tailed tigers)	+ * -	<u> </u>	<b></b>	<b> </b>	├		2 2
	Family Dytiscidae, (two-tailed tigers)					<b></b>		
	Family Dytiscidae, (nosey tigers)	<b> </b>	<b></b>					2
	Family Dytiscidae, (crawling water tigers)	<del> </del>		ļ	ļ	ļ		
	Family Dytiscidae, (swimming water tigers)	<u> </u>		<u> </u>		<b></b>		2
	Family Hygrobiidae, Genus Hygrobia (screech beetles)	<del> </del>				<del> </del>		1
48	Family Haliplidae, Genus Haliplus (tortoise beetle larvae)	ļ		ļ		ļ	ļ	4
						<b> </b>	<b></b>	
F T F								
	y Larvae							40
50	Family Blephariceridae (bleffs)			ļ		ļ	<del> </del>	10
51	Family Athericidae (tasselled maggots) Families Tabanidae, Dolichopodidae, Empididae some Tipulidae						ļ	<u>8</u>
51 52							ļ	5
	Family Simuliidae (black fly larvae) Family Chironomidae, several genera (blood worms)	5						1
53 53	Family Chironomidae, several genera (blood worms) Family Ceratopogonidae (pogs)	-				<u> </u>		4
54	Family Ceratopogonidae (pogs) Family Chironomidae (chironomids)	51001						3
54		3100						5
55	Family Tipulidae (crane fly larvae) Family Stratiomyidae (soldier fly larvae)							2
55	Family Psychodidae (moth fly larvae)	<del> </del>						3
56	Family Dixidae ("U" bent midges)							7
56	Family Culicidae (mosquito larvae, wrigglers)	-						1
57	Family Syrphidae (riosquito larvae, wngglers)							1
57	Family Ephydridae (lat tailed maggot) Family Ephydridae and Sciomyzidae (wetland maggots)	<b></b>						2
58	Family Chironomidae, Genus Symbiocladius (backpack midge)	<b> </b>						8
58	Family Chaoboridae (phantom midges)	<del> </del>						2
	r army oracoorade (pharkon mages)							
6. Mayflie	s (Ephemeroptera)							
60	Family Caenidae (caenids)							4
60	Family Oniscigastridae, Genus Tasmanophlebia (oniscigastrids)							8
61	Family Coloburiscidae, Genus Coloburiscoides (stream horses)							8
61	Family Ameletopsidae, Genus Mirawara							7
62	Family Siphlonuridae (siphlonurids)							3
63	Family Baetidae (baetids)							5
64	Family Leptophlebiidae, Genus Atalophlebia							5
64	Family Leptophlebiidae, Genus Jappa							8
65	Family Leptophlebiidae (leptophlebs) various genera							8
	,							

	Site name	1	I	<u>'</u>	Γ		<u> </u>	Date
		<u> </u>	<u> </u>	<u></u>	L	L	<u></u>	
Groups/	T.	T	r	Γ	·			
pages	Names	raw count	1-2	3-5	6-10	11-20	>20	SIGNAL 2
	ugs (Hemiptera)							
67	Family Hydrometridae (water measurers)							3
68	Family Gerridae (water striders)							4
68	Families Veliidae/ Mesoveliidae/ Hebridae (water treaders)	1						3
69	Family Gelastocoridae (toad bugs)		ļ					5
70	Family Nepidae, Genus Ranatra (slender water scorpions/stick bug)							3
70	Family Nepidae, Genus Laccotrephes (leafy water scorpions)							3 2
72	Family Pleidae (pygmy backswimmers) Family Notonectidae , Genus <i>Enithares</i> (robust backswimmers)							1
72	Family Notonectidae , Genus <i>Enitrares</i> (robust backswimmers)	<u> </u>		l				1
73	Family Naucoridae, Genus Naucoris (creeping water bugs)	<u> </u>						2
73	Family Belostomatidae, Genus <i>Diplonychus</i> (giant water bugs).							2
75	Family Corixidae , Genus Sigara (striped boatman)							3
75	Family Corixidae, Genus Micronecta (little brindle boatman)							2
76	Family Corixidae , Species Diaprepocoris (Barry four-eyes)							6
76	Family Corixidae genus Agraptocorixa (static boatmen)							6
				L				
	iflies and Damselflies (Odonata)							L.
78 78	Family Megapodagrionidae Family Synlestidae							5
79	Family Synlestidae	<u> </u>						3 3
79	Family Diphlebiidae		/					2
80	Family Lestidae and Family Coenagrionidae	520						2
81	various families (spider mud eye)							5
. 81	Family Gomphidae (gomphids)							5
82	Family Telephlebiidae (teleflebs)							9
82	Family Aeshnidae (couta mud eye)							5
						0202-0200	30000000000000000000000000000000000000	
	ies (Piecoptera)							
84	Family Eustheniidae (U sthenids)			· · ·				10
85 85	Family Austroperlidae, Species Acruroperla atra Family Austroperlidae, all other species							10 10
86	Family Notonemouridae (noto nemoor ids)							6
87	Family Gripopterygidae, various genera (hairy sprawler)							10
87	Family Gripopterygidae, Genus <i>Illiesoperla</i> (blond sprawler)							10
88	Family Gripopterygidae, Genus Riekoperla (spiky reek o perla)							8
88	Family Gripopterygidae, various genera (gripops or fluffy bums)							7
	s Fly Larvae (Trichoptera)							
	Family Hydropsychidae (net spinning caddis)	1						6
91	Family Ecnomidae, Genus Ecnomus (bandit caddis)							4
92	Family Hydrobiosidae (hunter caddis)							8
92 93	Families Philopotamidae / Polycentropodidae Ecnomidae (ginger nut Family Hydroptilidae (micro caddis)	S)						7.5
94	Family Atriplectididae, Genus Atriplectides (vulture caddis)	18						3
94	Family Glossosomatidae, Genus Agapetus (igloo caddis)							$\frac{3}{9}$
95	Family Helicopsychidae, Genus Helicopsyche (snail caddis)							8
96	Family Tasimiidae (tasimiids)							8
96	Family Philorheithridae (attack caddis - highlander)							8
96	Family Leptoceridae, Genus Oecetis (attack caddis - lowlander)							6
97	Family Calamoceratidae, Anisocentropus (sleeping bag caddis)							7
98	Family Calocidae, Species Caenota plicata (shingle caddis)							9
98	Family Leptoceridae, Species Lectrides varians (flat shack caddis)							4
99	Families Conoesucidae/ Calocidae/ Helicophidae (bullet caddis)							7
99	Family Leptoceridae Unidentified, various genera.							6
100	Family Leptoceridae, Genus <i>Triplectides</i> (stick caddis)							4
100	Family Leptoceridae, Genus Oecetis (log cabin caddis)		$/\!\!\!/$					5
101	Family Leptoceridae, Genus Symphitoneuria (dart caddis) Family Leptoceridae, Genus Notalina (Headbanger caddis)	2						6
101	r anny coprocendae, Genus Morailla (Headbanger caddis)	Acres,			1	I		