

PHYSICAL & CHEMICAL TESTS RECORD



Book No

Complete the Physical & Chemical Tests Record Sheet each time you undertake the tests.

site name: Yack CK, Osbornes Road. Site code: YACO12			
Name of monitoring group:			
the survey / test: Greg Arnold			
GPS Coordinates: Easting: Northing: Northing:			
Date of survey: 28 / 12 /2019 Time of survey: 18:00 am /pm			
Test	What it measures	Your result (units)	Comments
Dissolved Oxygen	Oxygen concentration	9.8 mg/L %sat.	
Reactive Phosphorus	Nutrient levels	0.030 mg/L	
Turbidity	Suspended solids	13 N.T.U.	
Electrical Conductivity	Salinity	110 E.C.	
pH	Acidity / alkalinity	6.91 units	
Water Temperature	Temperature	26.6 °℃	
Location of drains: Record the type and location of any drains near your monitoring site. Distance from drain to monitoring site: meters upstream or downstream Type: open drain pipe Flow: drain flowing drain not flowing Drain open drain open drain pipe diameter Description of drain water: Colour Odour Weather conditions at the time of sampling: windy Last Rainfall: more than a week ago during the last week during the last 24 hours raining now			
Water Conditions Water Appearance: Water flow: not flowing fast rapid temporary Water Appearance: clear milky muddy smelly stained green stained brown other (description)			
Litter pollutants: (Tick type found) paper bottles packets cans plastic car bodies petrol/diesel other cardboard clothing oil car bodies Comments:			