

PHYSICAL & CHEMICAL TESTS RECORD



Book No.

Complete the Physical & Chemical Tests Record Sheet each time you undertake the tests.

Site name: YACKANDANDAH CK-OS BORNES FLAT Site code: YACO12			
Name of monitoring group:			
Person(s) conducting the survey / test:	GREG ARNOLD		
GPS Coordinates: East	ing:	Northing:	
Date of survey: 29 / 01 / 20 Time of survey: 9:45 (am) / pm			
Test	What it measures	Your result (units)	Comments
Dissolved Oxygen	Oxygen concentration	4.2 mg/L %sat:	
Reactive Phosphorus	Nutrient levels	0.030 mg/L	
Turbidity	Suspended solids	12 N.T.U.	
Electrical Conductivity	Salinity	110 E.C.	
рН	Acidity / alkalinity	6.97 units	
Water Temperature	Temperature	22.3 ℃	
Location of drains: Record the type and location of any drains near your monitoring site. Distance from drain to monitoring site: meters upstream or downstream Type: open drain pipe Flow: drain flowing drain not flowing Drain open drain width pipe diameter			
Description of drain water: Colour Odour			
Weather conditions at t		ercast raining	windy
Last Rainfall: more than a week ago during the last week during the last 24 hours raining now amount of rainfall:			
Water Conditions Water Appearance: Water flow: I clear milky foamy / frothy			
Litter pollutants: (Tick type found) paper bottles packets cans plastic polystyrene cardboard clothing oil car bodies petrol/diesel other			
comments: trampling of grass on bankside, possible			