TORGIVER SOLD

West Gippsland Waterwatch Volunteer Water Quality Monitoring Data Sheet

Site Details Site Code: POWOSO Site Name: Forther's Creed Site Grid Reference Easting: Northing: \$73,657 Your Meter - Reading Before Calibration (when in CAL Mode) Test Details Date: \$4,000						
ph Meter in 7.01 6.3. ph Meter in 4.01 4.01			pH Meter in 7.01	PH Meter in 4.01	4.0	
Water Condition (C	Circle)					
Steady Flow	Rising	Peak	Falling	Stagnant (pools)	Dry (no water)	
Test Results Air Temperature	14.40	°C	Any Commen	ts for Your Fac	ilitator?	
	0.6	°C				
pH	7.0					
Electrical Conductivity	460	□ μs □ ms				
	0.14	mg/L P	196 194 194 N			
Turbidity	50	N.T.U.				
Dissolved Oxygen:	yyd y saw chir y a'i de y chwyddiaddiaddiad bygannau ywedd ac ac a fan 1940 y	── mg/L %				
	op stage (E)					
Weather Conditions at Time of Sampling Water Appearance ,						
Sunny	Sunny		☐ Clear	Muddy		
Overcast	A .		☐ Milky	☐ Foa	my / Frothy	
™ /Windy			_	☐ Stained Green ☐ Stained Brown		
Last Rainfall			☐ Smelly	☐ Scu		
☐ More than a week ago ☐ During the last week			Oily	Oth	er:	
During the last 24 hours Raining Now			Drains			
Amount of rain:	t de grande de la company de la company La company de la company d	Drain Flow:	☐ Drain flowing	☐ Drain not flowing		
Post: West Gippsland Waterwatch Reply Paid 1374 Traralgon 3844 or Fax: 51757899						